

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	41	transfer\$4 with access with privilege	USPAT	OR	ON	2004/09/18 13:31
S2	320	client with grant\$3 with access	USPAT	OR	ON	2004/09/17 14:56
S3	1178	access adj privilege	USPAT	OR	ON	2004/09/17 14:28
S4	202	access adj privilege with (file or object)	USPAT	OR	ON	2004/09/17 14:29
S5	96	access adj privilege with (file or object) and ("709"/\$.ccls. or "713"/\$.ccls.)	USPAT	OR	ON	2004/09/17 14:38
S6	10	("5862330" "5894556" "6128660" "6148328" "6301609" "6345297" "6411989" "6430567" "6463471" "6487583").PN.	USPAT	OR	OFF	2004/09/17 14:34
S7	8	("6038668" "6199077" "6330677" "6477644" "6529950" "6542992" "6560217" "6594763").PN.	USPAT	OR	OFF	2004/09/17 14:36
S8	1	"5675721".pn.	USPAT	OR	ON	2004/09/17 14:38
S9	49	"5675721".URPN.	USPAT	OR	OFF	2004/09/17 14:50
S10	0	RE38287.URPN.	USPAT	OR	OFF	2004/09/17 14:55
S11	2	("5966133" "6028608").PN.	USPAT	OR	OFF	2004/09/17 14:55
S12	7603	client with grant\$3 with access ajd privilege	USPAT	OR	ON	2004/09/17 14:56
S13	11	client with grant\$3 with access adj privilege	USPAT	OR	ON	2004/09/17 14:57
S14	1827	access with control with list	USPAT	OR	ON	2004/09/17 16:17
S15	95	client with access with control with list	USPAT	OR	ON	2004/09/17 16:17
S16	5	client with access with control with list with encrypt\$3	USPAT	OR	ON	2004/09/17 16:17
S17	3161	(transfer\$4 or transmit\$4) with (data or information) and encrypt\$3 with receiv\$3 with (data or information)	USPAT	OR	ON	2004/09/18 13:32
S18	18	(transfer\$4 or transmit\$4) with (data or information) and encrypt\$3 with receiv\$3 with (data or information) and symmetric adj key with exchange	USPAT	OR	ON	2004/09/18 13:38
S19	1803	(transfer\$4 or transmit\$4) with (data or information) same encrypt\$3 with receiv\$3 with (data or information)	USPAT	OR	ON	2004/09/18 13:39

S20	1803	((transfer\$4 or transmit\$4) with (data or information)) same (encrypt\$3 with receiv\$3 with (data or information))	USPAT	OR	ON	2004/09/18 13:39
S21	105	((transfer\$4 or transmit\$4) with (data or information)) same (encrypt\$3 with receiv\$3 with (data or information)) and symmetric adj key	USPAT	OR	ON	2004/09/18 13:39
S22	100	((transfer\$4 or transmit\$4) with (data or information)) same (encrypt\$3 with receiv\$3 with (data or information)) and symmetric adj key not ((transfer\$4 or transmit\$4) with (data or information) and encrypt\$3 with receiv\$3 with (data or information) and symmetric adj key with exchange)	USPAT	OR	ON	2004/09/18 14:35
S23	0	(transfer\$4 or transmit\$4) with key with "to" near client	USPAT	OR	ON	2004/09/18 13:41
S24	342	(transfer\$4 or transmit\$4) with key with client	USPAT	OR	ON	2004/09/18 13:41
S25	342	(transfer\$4 or transmit\$4) with key with client	USPAT	OR	ON	2004/09/18 13:41
S26	48	((transfer\$4 or transmit\$4) with key with client) same (client with encrypt\$3 with data)	USPAT	OR	ON	2004/09/18 13:48
S27	563	public with key with exchange	USPAT	OR	ON	2004/09/18 13:49
S28	443	public with key with exchange and @ad<"19990929"	USPAT	OR	ON	2004/09/18 13:49
S29	29	client with public with key with exchange and @ad<"19990929"	USPAT	OR	ON	2004/09/18 13:54
S30	64	client with encrypt\$3 with received with key and @ad<"19990929"	USPAT	OR	ON	2004/09/18 13:58
S31	15682	(transmit\$4 or transfer\$4) with data and (transmit\$4 or transfer\$4) with key	USPAT	OR	ON	2004/09/18 13:59
S32	498	(transmit\$4 or transfer\$4) with data and (transmit\$4 or transfer\$4) with key and encrypt\$3 with data with received with key	USPAT	OR	ON	2004/09/18 13:59
S33	391	(transmit\$4 or transfer\$4) with data and (transmit\$4 or transfer\$4) with key and encrypt\$3 with data with received with key and @ad<"19990929"	USPAT	OR	ON	2004/09/18 14:00

S34	336	(transmit\$4 or transfer\$4) with data same (transmit\$4 or transfer\$4) with key and encrypt\$3 with data with received with key and @ad<"19990929"	USPAT	OR	ON	2004/09/18 14:14
S35	431	(transmit\$4 or transfer\$4) with key same encrypt\$3 with data with receiv\$3 with key and @ad<"19990929"	USPAT	OR	ON	2004/09/18 14:30
S36	52	(transmit\$4 or transfer\$4) with key same encrypt\$3 with data with receiv\$3 not decrypt\$3 and @ad<"19990929"	USPAT	OR	ON	2004/09/18 14:27
S37	419	(send\$3) with key with encrypt\$3 with data and @ad<"19990929"	USPAT	OR	ON	2004/09/18 14:17
S38	40	(send\$3) with key with encrypt\$3 with data not decrypt\$3 and @ad<"19990929"	USPAT	OR	ON	2004/09/18 14:18
S39	59	(send\$3) with key with encrypt\$3 with storage and @ad<"19990929"	USPAT	OR	ON	2004/09/18 14:21
S40	59	(send\$3) with key with encrypt\$3 with storage and @ad<"19990929" not ((send\$3) with key with encrypt\$3 with data not decrypt\$3 and @ad<"19990929")	USPAT	OR	ON	2004/09/18 14:25
S41	449	client with request with key	USPAT	OR	ON	2004/09/18 14:25
S42	363	client with request with key and @ad<"19990929"	USPAT	OR	ON	2004/09/18 14:26
S43	4789	key with distribut\$3 and @ad<"19990929"	USPAT	OR	ON	2004/09/18 14:36
S44	64	symmetric with key with distribut\$3 and @ad<"19990929"	USPAT	OR	ON	2004/09/18 14:46
S45	228	transfer\$4 with encrypt\$3 with data and transfer\$4 with decrypt\$3 with key	USPAT	OR	ON	2004/09/18 14:42
S46	6895	(transfer\$4 shar\$4) with access with information and (@ad<"19990929" @rlad<"19990929" @prad<"19990929" @rlan<"19990929")	US-PGPUB; USPAT	OR	ON	2005/04/11 14:45
S47	270	(transfer\$4 shar\$4) with access with information with client and (@ad<"19990929" @rlad<"19990929" @prad<"19990929" @rlan<"19990929")	US-PGPUB; USPAT	OR	ON	2005/04/11 14:45

S48	2	(transfer\$4 shar\$4) with access with privilege with information with client and (@ad<"19990929" @rlad<"19990929" @prad<"19990929" @rlan<"19990929")	US-PGPUB; USPAT	OR	ON	2005/04/11 14:49
S49	465	(transfer\$4 shar\$4 transmit\$4) with access with information with client and (@ad<"19990929" @rlad<"19990929" @prad<"19990929" @rlan<"19990929")	US-PGPUB; USPAT	OR	ON	2005/04/11 14:50
S50	465	(transfer\$4 shar\$4 transmit\$4) with client with access with information with client and (@ad<"19990929" @rlad<"19990929" @prad<"19990929" @rlan<"19990929")	US-PGPUB; USPAT	OR	ON	2005/04/11 14:50
S51	29	(transfer\$4 shar\$4 transmit\$4) with client with access with information with client and server with (valid\$5 verif\$7) with access with information and (@ad<"19990929" @rlad<"19990929" @prad<"19990929" @rlan<"19990929")	US-PGPUB; USPAT	OR	ON	2005/04/11 15:28
S52	1	(transfer\$4 shar\$4 transmit\$4) with access with control with list and server with (valid\$5 verif\$7) with access with information and (@ad<"19990929" @rlad<"19990929" @prad<"19990929" @rlan<"19990929")	US-PGPUB; USPAT	OR	ON	2005/04/11 15:39
S53	199	(transfer\$4 shar\$4 transmit\$4) with access with control with list and (@ad<"19990929" @rlad<"19990929" @prad<"19990929" @rlan<"19990929")	US-PGPUB; USPAT	OR	ON	2005/04/11 15:39
S54	5	(transfer\$4 shar\$4 transmit\$4) with access with control with list with client and (@ad<"19990929" @rlad<"19990929" @prad<"19990929" @rlan<"19990929")	US-PGPUB; USPAT	OR	ON	2005/04/11 15:46

S55	63	(transfer\$4 shar\$4 transmit\$4) with client with access with control with (list information) and (@ad<"19990929" @rlad<"19990929" @prad<"19990929" @rlan<"19990929")	US-PGPUB; USPAT	OR	ON	2005/04/11 15:46
S56	58	(transfer\$4 shar\$4 transmit\$4) with client with access with control with (list information) and (@ad<"19990929" @rlad<"19990929" @prad<"19990929" @rlan<"19990929") not S54	US-PGPUB; USPAT	OR	ON	2005/04/11 15:46
S57	98	("5548724").URPN.	USPAT	OR	OFF	2005/04/11 16:01
S58	2840	(transmit\$4 transfer\$4 shar\$3) with (resource object) with access with (privilege information right)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 12:03
S59	1217	(transmit\$4 transfer\$4 shar\$3) with (resource object) with access with (privilege information right) and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 12:06
S60	18	(transmit\$4 transfer\$4 shar\$3) with (resource object) with access with (privilege information right) and (@ad<"19991129" @prad<"19991129") and xerox. as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 12:06
S61	8	(transmit\$4 transfer\$4 shar\$3) with (resource object) with access with (privilege information right) and (@ad<"19991129" @prad<"19991129") and "fuji xerox".as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 12:06
S62	0	(transmit\$4 transfer\$4 shar\$3) with (resource object) with access with (privilege information right) and (@ad<"19991129" @prad<"19991129") and "fuji xerox".as. and horikiri.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 12:06
S63	8	(transmit\$4 transfer\$4 shar\$3) with (resource object) with access with (privilege information right) and (@ad<"19991129" @prad<"19991129") and "fuji xerox".as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 12:11

S64	344	(transmit\$4 transfer\$4 shar\$3) with (resource object) with access with (privilege information right) and (authenticat\$3 authori\$6 allow\$3) with access with (privilege information right) and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 12:12
S65	169	(transmit\$4 transfer\$4 shar\$3) with (resource object) with access with (privilege information right) same (authenticat\$3 authori\$6 allow\$3) with access with (privilege information right) and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 12:13
S66	6	(transmit\$4 transfer\$4 shar\$3) with (encrypt\$3 hash\$3) with (resource object) with access with (privilege information right) same (authenticat\$3 authori\$6 allow\$3) with access with (privilege information right) and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 12:29
S67	14	(transmit\$4 transfer\$4 shar\$3) with (resource object) with access with (privilege information right) same (authenticat\$3 authori\$6 allow\$3) with access with (privilege information right) and (encrypt\$3 hash\$3) with access with (privilege information right) and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 12:30
S68	8	(transmit\$4 transfer\$4 shar\$3) with (resource object) with access with (privilege information right) same (authenticat\$3 authori\$6 allow\$3) with access with (privilege information right) and (encrypt\$3 hash\$3) with access with (privilege information right) and (@ad<"19991129" @prad<"19991129") not S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 12:32
S69	8	(transmit\$4 transfer\$4 shar\$3) with (resource object) with access with (privilege information right) with client same (authenticat\$3 authori\$6 allow\$3) with client with access with (privilege information right) and (@ad<"19991129" @prad<"19991129") not S66	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 12:32

S70	8	(transmit\$4 transfer\$4 shar\$3) with (resource object) with access with (privilege information right) with client same (authentica\$3 authori\$6 allow\$3) with client with access with (privilege information right) and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 12:32
S71	8	(transmit\$4 transfer\$4 shar\$3) with (resource object) with access with (privilege information right) with client same (authentica\$3 authori\$6 allow\$3) with client with access with (privilege information right) and (@ad<"19991129" @prad<"19991129") not S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:20
S72	792	horikiri.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:41
S73	52	horikiri-kazunori.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:41
S74	52	horikiri-kazunori.in. and "fuji xerox".as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 15:42
S75	85	(transmit\$4 transfer\$4 shar\$3) with (resource object) with access with (privilege information right) with (user node client) and (node user client) with (transmit\$4 transfer\$4 shar\$3) with (resource object) with access with (privilege information right) with server and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:26
S76	868	distribut\$3 with access with (privilege information right) with (user node client) and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:26
S77	868	distribut\$3 with access with (privilege information right) with (user node client) and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:28

S78	8	distribut\$3 with access with (privilege information right list) with (user node client) same (user node client) with (transfer\$4 transmit\$4 send\$3) with (authenticat\$3 authori\$6 verif\$7) with access with (privilege information right list) with server and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:44
S79	8	distribut\$3 with access with (privilege information right list matrix index table) with (user node client) same (user node client) with (transfer\$4 transmit\$4 send\$3) with (authenticat\$3 authori\$6 verif\$7) with access with (privilege information right list) with server and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:49
S80	764	(hash\$3 one\$way) with access with (privilege information right list matrix index table) and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:50
S81	2448	(hash\$3 one\$way) with (user\$4 client password) and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:50
S82	72	distribut\$3 with (hash\$3 one\$way) with (user\$4 client password) and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:51
S83	4	distribut\$3 with (hash\$3 one\$way) with (user\$4 client password) and (authenticat\$3 authori\$6 verif\$7) with (hash\$3 one\$way) with (user\$4 client password) with server and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:56
S84	79	(authenticat\$3 authori\$6 verif\$7) with (hash\$3 one\$way) with (user\$4 client password) with server and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:57

S85	2	transfer\$4 with (access authority privilege right) with (resource object) and (authenticat\$3 authori\$6 verif\$7) with (hash\$3 one\$way) with (user\$4 client password) with server and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:57
S86	2	transfer\$4 with (access authority privilege right) with (resource object) and (authenticat\$3 authori\$6 verif\$7) with (hash\$3 one\$way) with (user\$4 client password) with server and (@ad<"19991129" @prad<"19991129") not S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 16:59
S87	0	transfer\$4 with (authenticat\$3 authori\$6 verif\$7) with (hash\$3 one\$way) with (user\$4 client password) with server and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 17:00
S88	11	transmit\$4 with (authenticat\$3 authori\$6 verif\$7) with (hash\$3 one\$way) with (user\$4 client password) with server and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 17:29
S89	5	("6064736").URPN.	USPAT	OR	OFF	2005/07/26 17:03
S90	20113	davis.in.	US-PGPUB; USPAT	OR	OFF	2005/07/26 17:05
S91	245	davis-mark-\$.in.	US-PGPUB; USPAT	OR	OFF	2005/07/26 17:06
S92	6	davis-mark-charles.in.	US-PGPUB; USPAT	OR	OFF	2005/07/26 17:06
S93	29	transmit\$4 with (authenticat\$3 authori\$6 verif\$7) with (hash\$3 one\$way) with (user\$4 client password) and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 17:06
S94	18	transmit\$4 with (authenticat\$3 authori\$6 verif\$7) with (hash\$3 one\$way) with (user\$4 client password) and (@ad<"19991129" @prad<"19991129") not S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 17:07
S95	24	(transfer\$4 transmit\$4) with (authenticat\$3 authori\$6 verif\$7) with (hash\$3 one\$way) with (user\$4 client password) and (@ad<"19991129" @prad<"19991129") not S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 17:16

S96	3	(authenticat\$3 authori\$6 verif\$7) with (hash\$3 one\$way) with (user\$4 client password) with access\$3 with (resource object) and (@ad<"19991129" @prad<"19991129") not S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 17:18
S97	1	("6519647").URPN.	USPAT	OR	OFF	2005/07/26 17:22
S98	17	(shar\$4 distribut\$3) with (authenticat\$3 authori\$6 verif\$7) with (hash\$3 one\$way) with (user\$4 client password) and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 17:30
S99	1	"6330677".pn.	USPAT	OR	ON	2005/08/01 12:28
S10 0	586	compar\$3 with (encrypt\$3 hash\$3) with (user client authenticat\$3 authori\$6) and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT	OR	ON	2005/08/04 17:11
S10 1	114	compar\$3 with (encrypt\$3 hash\$3) with (user client authenticat\$3 authori\$6) with info\$7 and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT	OR	ON	2005/08/04 17:13
S10 2	104	compar\$3 with (encrypt\$3 hash\$3) with (user client authenticat\$3 authori\$6) with info\$7 and (@ad<"19991129" @pd<"19991129")	US-PGPUB; USPAT	OR	ON	2005/08/04 17:11
S10 3	59	compar\$3 with (encrypt\$3 hash\$3) with (user client authenticat\$3 authori\$6) with info\$7 and (@pd<"19991129")	US-PGPUB; USPAT	OR	ON	2005/08/04 17:13
S10 4	84	compar\$3 with (encrypt\$3 hash\$3) with (user client) with (pass\$word pass\$phrase identif\$3) and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT	OR	ON	2005/08/04 18:07
S10 5	2	server with second with challenge with string and (@ad<"19991129" @prad<"19991129")	US-PGPUB; USPAT	OR	ON	2005/08/04 18:07